Applicants: Murdin et al. U.S.A.N.: 09/428,122

## Amendments to the Specification:

Please amend the paragraph beginning at line 13, page 16 as follows:

A recombinant expression system can be selected from prokaryotic and eukaryotic hosts. Eukaryotic hosts include yeast cells (e.g., Saccharomyces cerevisiae or Pichia pastoris), mammalian cells (e.g., COS1, NIH3T3, or JEG3 cells), arthropods cells (e.g., Spodoptera frugiperda (SF9) cells), and plant cells. Preferably, a prokaryotic host such as E. coli is used. Bacterial and eukaryotic cells are available from a number of different sources to those skilled in the art, e.g., the American Type Culture Collection (ATCC; 10801 University Boulevard, Manassas, VA Rockville, Maryland).

Please amend the paragraph beginning at line 11, page 40 as follows:

A recombinant expression system can be selected from procaryotic and eucaryotic hosts. Eucaryotic hosts include yeast cells (e.g., Saccharomyces cerevisiae or Pichia pastoris), mammalian cells (e.g., COS1, NIH3T3, or JEG3 cells), arthropods cells (e.g., Spodoptera frugiperda (SF9) cells), and plant cells. Preferably, a procaryotic host such as E. coli is used. Bacterial and eucaryotic cells are available from a number of different sources to those skilled in the art, e.g., the American Type Culture Collection (ATCC; 10801 University Boulevard, Manassas, VA Rockville, Maryland).